

meson test --timeout-multiplier=10 -C _build

ninja test로 타임 아웃이 발생

동일한 테스트인 meson test에 타임아웃 관련 옵션을 실행 해서 성공

```
cd ~/pixman-0.43.2 $
ninja test -C _build
ninja: Entering directory `_build'
[0/1] Running all tests.
 1/33 oob-test                OK                0.02s
 2/33 infinite-loop           OK                0.01s
 3/33 trap-crasher            OK                0.02s
 4/33 region-translate-test    OK                0.01s
 5/33 fence-image-self-test    OK                0.04s
 6/33 fetch-test              OK                0.02s
 7/33 al-trap-test            OK                0.02s
 8/33 prng-test               OK                0.02s
 9/33 radial-invalid           OK                0.02s
10/33 pdf-op-test             OK                0.03s
11/33 region-test             OK                0.04s
12/33 combiner-test           OK                0.04s
13/33 alpha-loop              OK                0.04s
14/33 scaling-helpers-test     OK                0.21s
15/33 rotate-test             OK                0.59s
16/33 scaling-crash-test       OK                1.78s
17/33 gradient-crash-test      OK                0.70s
18/33 pixel-test              OK                3.18s
19/33 alphamap                OK                7.43s
20/33 matrix-test             OK                6.96s
21/33 filter-reduction-test    OK                7.60s
22/33 composite-traps-test     OK               10.14s
23/33 glyph-test              OK               16.62s
24/33 region-contains-test     OK               27.43s
25/33 solid-test              OK               23.74s
26/33 stress-test             OK               39.22s
27/33 cover-test              OK               52.74s
28/33 blitters-test           OK               33.55s
29/33 affine-test             OK               52.52s
30/33 scaling-test            OK               64.21s
composite time out (After 120 seconds)
31/33 composite                TIMEOUT          120.01s    killed by
signal 15 SIGTERM
>>> MALLOC_PERTURB_=100
UBSAN_OPTIONS=halt_on_error=1:abort_on_error=1:print_summary=1:print_stacktr
ace=1 ASAN_OPTIONS=halt_on_error=1:abort_on_error=1:print_summary=1
LD_LIBRARY_PATH=/home/baecy/pixman-0.43.2/_build/pixman
/home/baecy/pixman-0.43.2/_build/test/composite
32/33 thread-test             OK                0.83s
```

```
tolerance-test time out (After 120 seconds)
33/33 tolerance-test          TIMEOUT          120.01s    killed by
signal 15 SIGTERM
>>>
UBSAN_OPTIONS=halt_on_error=1:abort_on_error=1:print_summary=1:print_stacktr
ace=1 MALLOC_PERTURB_=198
ASAN_OPTIONS=halt_on_error=1:abort_on_error=1:print_summary=1
LD_LIBRARY_PATH=/home/baecy/pixman-0.43.2/_build/pixman
/home/baecy/pixman-0.43.2/_build/test/tolerance-test

Summary of Failures:

31/33 composite              TIMEOUT          120.01s    killed by signal 15
SIGTERM
33/33 tolerance-test        TIMEOUT          120.01s    killed by signal 15
SIGTERM

Ok:                31
Expected Fail:     0
Fail:              0
Unexpected Pass:   0
Skipped:           0
Timeout:           2

Full log written to /home/baecy/pixman-0.43.2/_build/meson-logs/testlog.txt
```

--timeout-multiplier=10 옵션 적용 후

```
cd ~/pixman-0.43.2 $
meson test --timeout-multiplier=10 -C _build
ninja: Entering directory `/home/baecy/pixman-0.43.2/_build'
ninja: no work to do.
 1/33 oob-test              OK              0.02s
 2/33 infinite-loop         OK              0.01s
 3/33 trap-crasher          OK              0.02s
 4/33 region-translate-test  OK              0.01s
 5/33 fence-image-self-test OK              0.03s
 6/33 fetch-test            OK              0.02s
 7/33 al-trap-test          OK              0.02s
 8/33 prng-test             OK              0.02s
 9/33 radial-invalid        OK              0.02s
10/33 pdf-op-test           OK              0.03s
11/33 region-test           OK              0.04s
12/33 combiner-test         OK              0.04s
13/33 alpha-loop            OK              0.04s
14/33 scaling-helpers-test  OK              0.21s
15/33 rotate-test           OK              0.61s
```

16/33	scaling-crash-test	OK	1.82s
17/33	gradient-crash-test	OK	0.69s
18/33	pixel-test	OK	3.18s
19/33	alphamap	OK	7.46s
20/33	matrix-test	OK	6.96s
21/33	filter-reduction-test	OK	7.74s
22/33	composite-traps-test	OK	8.76s
23/33	glyph-test	OK	17.21s
24/33	region-contains-test	OK	27.17s
25/33	solid-test	OK	23.68s
26/33	stress-test	OK	39.27s
27/33	cover-test	OK	52.69s
28/33	blitters-test	OK	33.85s
29/33	affine-test	OK	51.18s
30/33	scaling-test	OK	63.24s
31/33	tolerance-test	OK	158.06s
32/33	thread-test	OK	0.76s
33/33	composite	OK	172.36s
Ok:	33		
Expected Fail:	0		
Fail:	0		
Unexpected Pass:	0		
Skipped:	0		
Timeout:	0		

Full log written to /home/baecy/pixman-0.43.2/_build/meson-logs/testlog.txt

From:

<http://175.213.232.13/dokuwiki/> - 전자 수첩

Permanent link:

<http://175.213.232.13/dokuwiki/beyondlinuxfromscratch/ninatesttimeout>

Last update:

2024/04/14 07:32

