

<b>Beyond Linux® From Scratch (systemd Edition) - Version 12.1</b>		
<b>Chapter 4. Security</b>		
	/	
libcap-2.69 with PAM	liboauth-1.0.3	

## Linux-PAM-1.6.0

### Linux PAM

Linux PAM

가

(PAM: Pluggable Authentication Modules)

LFS 12.1

- : [Linux-PAM-1.6.0.tar.xz](#)
- MD5: 41a10af5fc35a7be472ae9864338e64a
- : 1.0 MB
- : 39 MB ( )
- : 0.4 SBU ( )

가

- : [Linux-PAM-1.6.0-docs.tar.xz](#)
- **MD5:** db41b71435df078658b3db1f57bb2a49
- : 456 KB

### Linux PAM

- [libnsl-2.0.1](#)
- [libtirpc-1.3.4](#)
- [rpcsvc-proto-1.4.4](#)
- [Berkeley DB](#) Deprecated
- [libaudit](#)
- [libeconf](#)
- [Prelude](#)



Linux PAM

Shadow-4.14.5 Systemd-255



Linux-PAM-1.4.0

pam\_cracklib  
libpwquality-1.4.5

## Linux PAM

가

```
tar -xf ../Linux-PAM-1.6.0-docs.tar.xz --strip-components=1
```

```
./configure --prefix=/usr \
            --sbindir=/usr/sbin \
            --sysconfdir=/etc \
            --libdir=/usr/lib \
            --enable-securedir=/usr/lib/security \
            --docdir=/usr/share/doc/Linux-PAM-1.6.0 &&
make
```

/etc/pam.d/other

Linux PAM

Linux PAM

/etc/pam.d



/etc/pam.d/other

**make install /etc/security /etc/environment**

root

```
install -v -m755 -d /etc/pam.d &&
cat > /etc/pam.d/other << "EOF"
auth      required      pam_deny.so
```

```
account    required          pam_deny.so
password   required          pam_deny.so
session    required          pam_deny.so
EOF
```

## **make check**

가

가

*root*

```
rm -fv /etc/pam.d/other
```

*root*

```
make install &&
chmod -v 4755 /usr/sbin/unix_chkpwd
```



Linux-PAM

/etc/security/\*, /etc/pam.d/\*

/etc/pam.d/

```
# Begin /etc/pam.d/other

auth           required      pam_unix.so      nullok
```

Last update: 2024/06/18 beyondlinuxfromscratch:installedpackages:linux-pam-1.6.0 https://gamu.kr/dokuwiki/beyondlinuxfromscratch/installedpackages/linux-pam-1.6.0  
23:43

```
password      required      pam_unix.so      nullok  
# End /etc/pam.d/other
```

root 가 .

```
install -vdm755 /etc/pam.d &&  
cat > /etc/pam.d/system-account << "EOF" &&  
# Begin /etc/pam.d/system-account  
  
account      required      pam_unix.so  
  
# End /etc/pam.d/system-account  
EOF  
  
cat > /etc/pam.d/system-auth << "EOF" &&  
# Begin /etc/pam.d/system-auth  
  
auth      required      pam_unix.so  
  
# End /etc/pam.d/system-auth  
EOF  
  
cat > /etc/pam.d/system-session << "EOF" &&  
# Begin /etc/pam.d/system-session  
  
session      required      pam_unix.so  
  
# End /etc/pam.d/system-session  
EOF  
  
cat > /etc/pam.d/system-password << "EOF"  
# Begin /etc/pam.d/system-password  
  
# use yescrypt hash for encryption, use shadow, and try to use any  
# previously defined authentication token (chosen password) set by any  
# prior module.  
password      required      pam_unix.so      yescrypt shadow try_first_pass  
  
# End /etc/pam.d/system-password  
EOF
```

libpwquality-1.4.5  
pam\_pwquality PAM

/etc/pam.d/other 가 .  
PAM

```
cat > /etc/pam.d/other << "EOF"
# Begin /etc/pam.d/other

auth      required      pam_warn.so
auth      required      pam_deny.so
account   required      pam_warn.so
account   required      pam_deny.so
password  required      pam_warn.so
password  required      pam_deny.so
session   required      pam_warn.so
session   required      pam_deny.so

# End /etc/pam.d/other
EOF
```

가

Linux-PAM

PAM

(man pam)

가



Shadow-4.14.5    Systemd-255

- : faillock, mkhomedir\_helper, pam\_namespace\_helper, pam\_timestamp\_check, pwhistory\_helper, unix\_chkpwd      unix\_update
- : libpam.so, libpamc.so, libpam\_misc.so
- : /etc/security, /usr/lib/security, /usr/include/security      /usr/share/doc/Linux-PAM-1.6.0

- **faillock**

- **mkhomedir\_helper**

- **pam\_namespace\_helper**

- **pwhistory\_helper**
  - passwd      shadow      opasswd

- **pam\_timestamp\_check**

- unix\_chkpwd
  - 가

- **unix\_chkpwd**

- **unix\_update**

- libpam.so

PAM

From:  
<https://gamu.kr/dokuwiki/> -

Permanent link:  
<https://gamu.kr/dokuwiki/beyondlinuxfromscratch/installedpackages/linux-pam-1.6.0>

Last update: **2024/06/18 23:43**

