

Linux From Scratch - Version 12.1-systemd		
Chapter 1. Introduction		
	/	

1.5.

LFS

가

, 1.4 " "

LFS



가 LFS

가

LFS

가

FAQ

가

FAQ

IRC

가 LFS

가 (1.4 FAQ

)

(

1.5.1.

- (12.1-systemd)
- LFS
- 가



가

LFS

1.5.2.

가 config.log .

가 .

1.5.3.

make .

make .

```
gcc -DALIASPATH=\"/mnt/lfs/usr/share/locale:.\" -
DLOCALEDIR=\"/mnt/lfs/usr/share/locale\" -DLIBDIR=\"/mnt/lfs/usr/lib\" -
DINCLUDEDIR=\"/mnt/lfs/usr/include\" -DHAVE_CONFIG_H -I. -I. -g -O2 -c
getopt1.c
gcc -g -O2 -static -o make ar.o arscan.o commands.o dir.o expand.o file.o
function.o getopt.o implicit.o job.o main.o misc.o read.o remake.o rule.o
signame.o variable.o vpath.o default.o remote-stub.o version.o opt1.o
-lutil job.o: In function `load_too_high'.
/lfs/tmp/make-3.79.1/job.c:1565: undefined reference
to `getloadavg'
collect2: ld returned 1 exit status
make[2]: *** [make] Error 1
make[2]: Leaving directory `/lfs/tmp/make-3.79.1'
make[1]: *** [all-recursive] Error 1
make[1]: Leaving directory `/lfs/tmp/make-3.79.1'
make: *** [all-recursive-am] Error 2
```

가 .

make [2]: *** [make] Error 1

가 .

가 .

From:

<https://www.gamu.kr/dokuwiki/> -

Permanent link:

<https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/014-help>

Last update: **2024/06/14 12:54**

