


Linux From Scratch - Version 12.1-systemd		
Chapter 2. Preparing the Host System		
	/	
LFS		

2.4.

가 LFS . LFS
가 ,
10 가 (GB) .
가 LFS 30 GB
가 LFS
LFS가 가 가
가 가
(RAM¹⁾)가
. LFS
가
(:
/dev/sda) **cdisk** **fdisk**
swap **cdisk(8)** **fdisk(8)**



LVM

initramfs가

가 . LFS RAID
. LFS

(: sda5) LFS . swap
/etc/fstab

2.4.1.

LFS
가 LFS
가 , , LFS

2.4.1.1.

20 GB LFS (/root
. LFS BLFS)

2.4.1.2.

RAM 2 , 가
2 가
RAM RAM
RAM
SSD
top, free
SSD 가
5 가
가 RAM 가

2.4.1.3. Grub

가 GPT(GUID) (1MB)
GRUB
fdisk 'BIOS Boot'
gdisk 가 EF02



Grub Bios 가 BIOS가 LFS
. Grub Bios

2.4.1.4.

- 가
- /boot -
 - /boot/efi - UEFI 200 가 가 BLFS

- /home - . LFS 가 .
- /usr - LFS /bin, /lib /sbin /usr 가 . LFS /usr 가 (1 가) 가 (/usr (LFS) initramfs가 KDE Texlive 5~10 가
- /opt - /usr BLFS 가 LFS
- /tmp - systemd tmpfs 9.10.3 , "/tmp tmpfs " LFS
- /usr/src - BLFS LFS BLFS . 30~50 가 /etc/fstab 10.2 , "/etc/fstab "

1)
Random Access Memory

From:
<https://www.gamu.kr/dokuwiki/> -

Permanent link:
https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/018-creating_a_new_partition

Last update: **2024/06/14 13:33**

