Linux From Scratch - Version 12.1-systemd		
Chapter 4. Final Preparations		
	/	
LFS	SBU	

4.4.

bash 에 . *lfs*
.bash_profile .

```
cat > ~/.bash_profile << "EOF"
exec env -i HOME=$HOME TERM=$TERM PS1='\u:\w\$ ' /bin/bash
EOF
```

lfs " -" **su** *lfs* ,
/etc/profile( )
.bash_profile . .bash_profile **exec env -i…/bin/bash**
HOME, TERM PS1 .

.

non-login , /etc/profile .bash_profile
.bashrc . .bashrc .

```
cat > ~/.bashrc << "EOF"
set +h
umask 022
LFS=/mnt/lfs
LC_ALL=POSIX
LFS_TGT=$(uname -m)-lfs-linux-gnu
PATH=/usr/bin
if [ ! -L /bin ]; then PATH=/bin:$PATH; fi
PATH=$LFS/tools/bin:$PATH
CONFIG_SITE=$LFS/usr/share/config.site
export LFS LC_ALL LFS_TGT PATH CONFIG_SITE
EOF
```

.bashrc

- **set +h**
  set +h **bash** . ,
  . .
  PATH .
  /usr/bin /bin

$LFS/tools/bin   .

- **umask 022**

(umask) 022

(open(2)

644 ,   755   ).

- **LFS=/mnt/lfs**

LFS   .

- **LC_ALL=POSIX**

LC_ALL

. LC_ALL   "POSIX"   "C"(   )

.

- **LFS_TGT=$(uname -m)-lfs-linux-gnu**

LFS_TGT   ,

.

- **PATH=/usr/bin**

/bin   /usr/bin   .   6

PATH   /usr/bin/   .   /bin

.

- **if [! -L /bin]; then PATH=/bin:$PATH; fi**

/bin   PATH   .

- **PATH=$LFS/tools/bin:$PATH**

PATH $LFS/tools/bin   5

.

.

- **CONFIG_SITE=$LFS/usr/share/config.site**

5   6   **configure**

/usr/share/config.site   .

.

- **export ...**

,   .

/etc/bash.bashrc   **bash**

.   LFS   *lfs*

. *lfs*

/etc/bash.bashrc   .
root   .

```
[ ! -e /etc/bash.bashrc ] || mv -v /etc/bash.bashrc
/etc/bash.bashrc.NOUSE
```

lfs   (7   )
/etc/bash.bashrc   .

8.35   "Bash-5.2.21"   LFS Bash   /etc/bash.bashrc
LFS

.

( )
make "parallel make"
. i9-13900K 8 P( ) 16 E( )
, P 2 P 2
. 32 .
make 32 .
make *-j32* .

```
make -j32
```

MAKEFLAGS make .

```
export MAKEFLAGS=-j32
```

⚠️ *-j* **make** MAKEFLAGS .
make .

[5] [6] .bashrc
MAKEFLAGS .

```
cat >> ~/.bashrc << "EOF"
export MAKEFLAGS=-j$(nproc)
EOF
```

$(nproc) .

bash .

```
source ~/.bash_profile
```