

Linux From Scratch - Version 12.1-systemd		
Chapter 5. Compiling a Cross-Toolchain		
	/	
GCC-13.2.0 - 1		

## 5.2. Binutils-2.42 - 1

Binutils, 가 .

- : 1 SBU
- : 663 MB

### 5.2.1. Cross Binutils



가 .

Glibc GCC 가  
Binutils 가 가 .

Binutils Binutils .

```
mkdir -v build
cd build
```



**install** SBU **configure** **make**  
**time { ../configure ... && make && make install; }** **time**

Binutils .

```
../configure --prefix=$LFS/tools \
--with-sysroot=$LFS \
--target=$LFS_TGT \
--disable-nls \
--enable-gprofng=no \
--disable-werror \
```

--enable-default-hash-style=gnu

configure

- prefix=\$LFS/tools  
\$LFS/tools Binutils
- with-sysroot=\$LFS  
\$LFS
- target=\$LFS\_TGT  
LFS\_TGT config.guess 가  
configure 가 binutils
- disable-nls  
i18n
- enable-gprofng=no  
gprofng
- disable-werror  
가 가
- enable-default-hash-style=gnu  
GNU  
ELF  
LFS (Glibc )  
GNU ELF 가  
GNU ELF 가

make

make install

8.19.2. "Binutils"

From:  
<https://www.gamu.kr/dokuwiki/> -

Permanent link:  
[https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/035-binutils-2.42\\_-\\_pass\\_1](https://www.gamu.kr/dokuwiki/linuxfromscratch/12.1/035-binutils-2.42_-_pass_1)

Last update: 2024/06/14 16:20



