

Linux From Scratch - Version 12.1-systemd		
Chapter 7. Entering Chroot and Building Additional Temporary Tools		
	/	
Texinfo-7.1		

7.12. Util-linux-2.39.3

Util-linux

- : 0.2 SBU
- : 172 MB

7.12.1. Util-linux

FHS	adjtime	/etc	/var/lib/hwclock
-----	---------	------	------------------

```
mkdir -pv /var/lib/hwclock
```

Util-linux

```
./configure --libdir=/usr/lib \
           --runstatedir=/run \
           --disable-chfn-chsh \
           --disable-login \
           --disable-nologin \
           --disable-su \
           --disable-setpriv \
           --disable-runuser \
           --disable-pylibmount \
           --disable-static \
           --without-python \
           ADJTIME_PATH=/var/lib/hwclock/adjtime \
           --docdir=/usr/share/doc/util-linux-2.39.3
```

configure

- *ADJTIME_PATH=/var/lib/hwclock/adjtime*
- FHS

util-linux

- *-libdir=/usr/lib*

.so 가 (/usr/lib) 가

- *-disable-**
LFS
- *-without-python*
Python
- *-runstatedir=/run*
uuidd libuuid

make

make install

8.79.2. "Util-linux"

From:

<https://gamu.kr/dokuwiki/> -



Permanent link:

<https://gamu.kr/dokuwiki/linuxfromscratch/12.1/069-util-linux-2.39.3>

Last update: **2024/06/15 10:32**